


**Gwave**

## 2.92-KYHD23



**2.92MM(FEMALE) RIGHT ANGLE  
FOR PCB BULKHEAD****2.92-KYHD23****Configuration**

|                            |               |
|----------------------------|---------------|
| Connector 1 Type           | 2.92mm Female |
| Connector 1 Impedance      | 50 Ohms       |
| Connector 1 Polarity       | Standard      |
| Body Style                 | Right Angle   |
| Connector Mount Method     | Bulkhead      |
| Connector 2 Interface Type | Pin           |
| Attachment Method          | Solder        |

**Electrical Specifications**

|                     |  |
|---------------------|--|
| Impedance           | 50 $\Omega$                            |
| Frequency           | DC to 40 GHz                           |
| Insertion Loss (dB) | $\leq 0.1 \times \text{Sqrt.}(f\_GHz)$ |
| Return loss/VSWR    | $\geq 14\text{dB}$                     |

**Materials Information**

|                |                   |
|----------------|-------------------|
| Centre Contact | CuBe gold plated  |
| Outer Contact  | Brass gold plated |
| Body           | Brass gold plated |
| Dielectric     | PEEK&PTFE         |

**Environmental Data**

|                   |                |
|-------------------|----------------|
| Temperature range | -45°C to +85°C |
| 2002/95/EC(RoHS)  | Compliant      |

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.

| Draft  | Checker | Approved | Date       | Rev. | ECN   | Name | Date          |
|--|---------|----------|------------|------|---|------|---------------|
| LaiXX  | Flex    | Grisson  | 02.11.2012 | a    | -----   | Lai  | 02.11.2012    |
| Gwave Technology Inc.<br>4 <sup>th</sup> Floor, New Material Plaza, Yongfeng Hi-Tech Base, Haidian District, Beijing, China(100094) www.gwave-tech.com |         |          |            |      | Tel.: +86 10 58937305/06<br>Fax: +86 10 58937307<br>email: gwave@gwave-tech.com |      | Page<br>2 / 2 |