


Maswell 6 in 1 Combo Antenna Screw Mount 4x4 5G MIMO, 2X2 MIMO WiFi 7 WiFi 6E

AN_Combo_607-4C2W



Mechanical dimension



Maswell 6 in 1 Combo Antenna Screw Mount 4x4 5G MIMO, 2X2 MIMO WiFi 7 WiFi 6E

AN_Combo_607-4C2W

Specifications



Item	Specifications	
5G NR Antenna 4x4 MIMO Antenna 1-Antenna 4	Frequency Range	617-960MHz/1710-5000MHz
	V.S.W.R	<3.0
	Polarization	Linear
	Gain	3dBi
	Impedance	50Ω
WiFi 2x2 MIMO Antenna Antenna 5-Antenna6	Frequency Range	2400-2483.51MHz/4900-5925MHz
	V.S.W.R	<2.0
	Polarization	Linear
	Peak Gain	3dBi
	Impedance	50Ω
Mechanical	Cable	LMR100*7, 2 meters
	Connector	SMA male for GPS, 5G RP SMA plug for WiFi
	Radome Material	PC
	Mounting Method	Screw
Environmental	Operating Temperature	-40℃~+85℃
	Relative Humidity	Up to 95%
	Ingress Protection	IP67(exclude cable outlet)
	Vibration	10 to 55Hz with 1.5mm amplitude 2hours
	Environmentally Friendly	ROHS Compliant

Maswell 6 in 1 Combo Antenna Screw Mount 4x4 5G MIMO, 2X2 MIMO WiFi 7 WiFi 6E

AN_Combo_607-4C2W

Radiation Patterns

NR Antenna main





**5G Antenna
Main**

Maswell 6 in 1 Combo Antenna Screw Mount 4x4 5G MIMO, 2X2 MIMO WiFi 7 WiFi 6E

AN_Combo_607-4C2W

Radiation Patterns



**5G Antenna
Aux**

Suzhou maswell communication technology co. Ltd

Add: Floor 3, Building 6, No. 88 Zhenbei Road, High-tech District, Suzhou 215153, Jiangsu, China

Http ://www.maswelltech.com

E-mail: Sales@maswelltech.com